

PSYCINFO®

ONTAP® PSYCINFO® (FILE 212)

FILE DESCRIPTION

The **PsycINFO® Psychological Abstracts** database provides access to the international literature in psychology and related behavioral and social sciences, including psychiatry, sociology, anthropology, education, pharmacology, and linguistics. Records for virtually all journal articles are accompanied by abstracts. All records from 1967 to the present are indexed using controlled vocabulary from the *Thesaurus of Psychological Index Terms*.

PsycINFO® contains citations and abstracts for journal articles, books, book chapters, reports, and dissertations from *Dissertation Abstracts International*. Journal material represents substantive articles selected on the basis of relevance to psychology from more than 1,700 journals published throughout the world in more than 25 languages.

ONTAP® PsycINFO® is a training file that contains records dating from the late 1800s to 2003.

SUBJECT COVERAGE

- Applied Psychology
- Communication Systems
- Developmental Psychology
- Educational Psychology
- Experimental Human and Animal Psychology
- Personality
- Physical and Psychological Disorders
- Physiological Psychology and Neuroscience
- Professional Personnel and Issues
- Psychometrics
- Social Psychology
- Social Processes and Issues
- Sports Psychology and Leisure
- Treatment and Prevention

TIPS

USE FILE 11

to locate citations to the international literature in psychology and related behavioral and social sciences.

USE RANK

to identify authors who are experts in specific disciplines:

```
SELECT ANOREXIA NERVOSA/DE
RANK AU
```

USE AG=

to focus a search on specific age groups:

```
SELECT AG=ADULTHOOD
```

USE /ABS

to limit a search to records containing abstracts:

```
SELECT S3/ABS
```

DIALOG FILE DATA

Inclusive Dates: 1887 to the present

Update Frequency:

Weekly (approximately 1,500 records per update)

File Size:

More than 2.7M records as of September 2009

CONTACT

PsycINFO is produced by the American Psychological Association. Questions concerning file content should be referred to:

American Psychological Association

PsycINFO User Services

750 First Street, N.E.

Washington, DC 20002-4242

Phone: 800-374-2722 (North America)

202-336-5650

Fax: 202-336-5633

SAMPLE RECORD

DIALOG(R)File 11:PsycINFO(R)
(c) 2009 Amer. Psychological Assoc. All rts. reserv.

AA= 0006104860 2007-04781-002
/TI Stability of negative self-structures: A longitudinal comparison of depressed, remitted, and nonpsychiatric controls

AU= AUTHOR: Dozois, David J. A. (Email: ddozois@uwo.ca)
CS= AUTHOR AFFILIATION: University of Western Ontario--London--ON--Canada
AD= CORRESPONDENCE ADDRESS: Dozois--David J. A.--Department of Psychology, University of Western Ontario--1151 Richmond Road--London--ON--Canada--N6A 5C2--ddozois@uwo.ca

JN=,PD=,PY= JOURNAL: Journal of Clinical Psychology, Vol 63(4), 319-338, Apr, 2007
PU= PUBLISHER: John Wiley & Sons--US
SN= ISSN: 1097-4679--(Electronic); 0021-9762--(Print)
PT= PUBLICATION TYPE: Journal; Peer Reviewed Journal
DT= DOCUMENT TYPE: Journal Article
MT= MEDIA TYPE: Print
RT= FORMAT AVAILABILITY: Electronic; Print
LA= RECORD TYPE: Abstract; Cited References; Added
PG=,AG= LANGUAGE: English
ME= POPULATION GROUP: Human; Female AGE GROUP: 300 (Adulthood (18 yrs & older)); 320 (Young Adulthood (18-29 yrs)); 340 (Thirties (30-39 yrs)); 360 (Middle Age (40-64 yrs)) POPULATION LOCATION: US
/GN,GN= METHODOLOGY: Empirical Study; Quantitative Study
ME= GRANT/SPONSORSHIP: This research was supported by a fellowship from the Ontario Mental Health Foundation.

/AB ABSTRACT: journal abstract- To be considered a vulnerability marker for depression, a variable should, in addition to demonstrating sensitivity and specificity, also show evidence of temporal stability (i.e., remain present in the absence of depressive symptomatology). Although many cognitive factors are associated with depression, the majority of them appear to be episode rather than vulnerability markers. This study examined cognitive organization of positive and negative interpersonal and achievement content in clinically depressed, remitted, and nonpsychiatric controls. At initial assessment, a sample of 54 clinically
(. . .)
less interconnected at follow-up in those patients who had improved. The structure of relational schemas, in particular, appears to be stable and may be an important cognitive vulnerability factor for depression.
(PsycINFO Database Record (c) 2007 APA, all rights reserved)
DIGITAL OBJECT IDENTIFIER: <http://dx.doi.org/10.1002/jclp.20349>

/DE DESCRIPTORS: *Cognitive Restructuring; *Major Depression; *Remission (Disorders); *Schema

/ID IDENTIFIERS: depression; schema; negative self-structures; cognitive vulnerability; symptom remission

/ID INSTRUMENTATION: Automatic Thoughts Questionnaire-Negative; Automatic Thoughts Questionnaire-Positive; Psychological Distance Scaling Task; Attribute Redundancy Card-Sorting Task; Beck Depression Inventory--II; Beck Anxiety Inventory

/SH,SH= SUBJECT CODES & HEADINGS: 3211 (Affective Disorders); 3311 (Cognitive Therapy)
NUMBER OF SOURCE REFERENCES: 84
NUMBER OF DISPLAY REFERENCES: 84

/CR,TX CITED REFERENCES:
1. Alloy, L. B., Abramson, L. Y., Hogan, M. E., Whitehouse, W. G., Rose, D. T., Robinson, M. S., et al. (2000). The Temple-Wisconsin Cognitive Vulnerability to Depression Project: Lifetime history of Axis I psychopathology in individuals at high and low cognitive risk for depression. *Journal of Abnormal Psychology, 109*, 403-418. (PsycINFO Accession Number: 2000-05424-006)
(<http://dx.doi.org/10.1037/0021-843X.109.3.403>)
(. . .)
84. Young, J. E., Klosko, J. S., & Weishaar, M. E. (2003). *Schema therapy: A practitioner's guide*. New York: Guilford Press.

RELEASE DATE: 20070402

SEARCH OPTIONS

BASIC INDEX

SEARCH SUFFIX	DISPLAY CODE	FIELD NAME	INDEXING	SELECT EXAMPLES
—	—	All Basic Index Fields	Word	S HEALTH(W)OUTCOME?
/AB	AB	Abstract ¹	Word	S COGNITIVE(W)FACTOR?/AB
/CR	CR	Cited References/Reviewed Works	Word	S COGNITIVE(W)RISK?/CR
/DE	DE	Descriptor ²	Word & Phrase	S MAJOR(W)DEPRESSION/DE S REMISSION (DISORDERS)/DE
/GN	GN	Population Location ^{3,4}	Word	S US/GN
/ID	ID	Identifier/Instrumentation	Word & Phrase	S COGNITIVE(W)VULNERABIL?/ID S SYMPTOM REMISSION?/ID
/TC	TC	Table of Contents	Word	S BURN(W)PAIN?/TC
/TX	TX	Cited References/Reviewed Works	Word	S DEPRESSION(W)PROJECT?/TX

¹ Present for all records from 1995 to present.

⁴ Indexes the location of the research population.

² Also /DE*, /DF, /DF*.

³ Searchable in the Basic Index and in the Additional Indexes.

ADDITIONAL INDEXES

SEARCH PREFIX	DISPLAY CODE	FIELD NAME	INDEXING	SELECT EXAMPLES
AA=	AA	PsycINFO Record Identifier	Phrase	S AA=2007-04781-002
AD=	AD	Correspondence Address	Word	S AD=(DEPARTMENT(1W)PSYCHOLOGY)
AG=	AG	Age Group	Phrase	S AG=ADULTHOOD S AG=300
AI=	AI	Audience Intended ⁵	Phrase	S AI=PSYCHOLOGY?
AM=	AM	Auxiliary Material	Phrase	S AM=WEB SITE?
AU=	AU	Author	Phrase	S AU=DOZOIS, DAVID?
—	AV	Format Availability		
—	AZ	DIALOG Accession Number		
BN=	BN	International Standard Book Number	Phrase	S BN=0-521-79351-3
BT=	BT	Book Type	Phrase	S BT="TEXTBOOK/STUDY GUIDE"
CL=	CL	Conference Location	Word	S CL=(LAS(W)VEGAS)
CN=	CN	Book Publisher's Country	Phrase	S CN=US
CS=	CS	Corporate Source or Author Affiliation	Word & Phrase	S CS=(UNIV?(W)WESTERN(W)ONTARIO) S CS=UNIVERSITY OF WESTERN ONTARIO?
CT=	CT	Conference Title	Word	S CT=(AMERICAN(W)BURN(W)ASSOC?)
CY=	CY	Conference Year	Phrase	S CY=2008
DT=	DT	Document Type	Phrase	S DT=JOURNAL ARTICLE
GN=	GN	Population Location ^{3,4}	Phrase	S GN=US
—	HD	Publication History		
—	II	Digital Object Identifier		
JN=	JN	Journal Name	Phrase	S JN=JOURNAL OF CLINICAL PSYCHOLOGY
LA=	LA	Language	Phrase	S LA=ENGLISH
ME=	ME	Methodology	Phrase	S ME=EMPIRICAL STUDY
MT=	MT	Media Type	Phrase	S MT=PRINT
NO=	NO	Article ID	Phrase	S NO=1A
—	NP	Page Count		
—	ON	UMI Order Number ⁶		
PD=	PD	Publication Date	Phrase	S PD=20070400
PG=	PG	Population Group	Phrase	S PG=HUMAN
PT=	PT	Publication Type	Phrase	S PT=JOURNAL
PU=	PU	Publisher	Word & Phrase	S PU=(JOHN(W)WILEY) S PU=JOHN WILEY?
PY=	PY	Publication Year	Phrase	S PY=2007
—	RD	Release Date		
—	RF	Number of References		
RT=	RT	Record Type	Phrase	S RT=ABSTRACT
SE=	SE	Series Title ⁷	Word	S SE=(GROUP(1W)ANALYSIS?)
SH=	SH	Subject Codes and Headings	Phrase	S SH=3211
SN=	SN	International Standard Serial Number (ISSN)	Phrase	S SN=1097-4679
SO=	SO	Source Information ⁸	Word	S SO=(CLINICAL(W)PSYCHOLOGY AND 63 AND 2007)
—	ST	Publication Status		
UD=	—	Update	Phrase	S UD=9999
—	UR	Uniform Resource Locator (URL)		

⁵ For book and book chapter records only.

⁸ Display includes Journal Name, Volume, Issue, Pagination, Publication Date, Series Title, Corporate Source, Parent Book Title (for chapter records).

⁶ Present for dissertation records.

⁷ Contains book series titles and translated book series titles.

SPECIAL FEATURES

For command descriptions, enter HELP LIMIT, HELP SORT, HELP RANK, HELP DUP, HELP CURRENT online.

LIMIT	/ABS -- Abstract /ENG -- English Language /HUMAN -- Human Subject /MAJ -- Major Descriptor /NONENG -- Non-English Language /YYYY -- Publication Year	S SH=GENETICS/ABS S FAMILY RELATIONS/ENG S NEURAL NETWORKS/HUMAN S GIFTED/MAJ S S2/NONENG S S3/2007
SORT	AU, CS, JN, PD, PY	SORT S 13/ALL/AU/PY,D PRINT S5/5/1-25/AU
RANK	All phrase- and numeric-indexed fields in the Additional Indexes can be ranked.	RANK AU S3
RD, ID	Remove duplicates (RD) or identify duplicates (ID,IDO).	RD S5
CURRENT	Search only the most recent year plus one (CURRENT1) to five (CURRENT5) years.	B 11 CURRENT2

PREDEFINED FORMAT OPTIONS

NO.	DIALOGWEB FORMAT	RECORD CONTENT
1	--	DIALOG Accession Number
2	--	Full Record except Abstract
3	Medium	Bibliographic Citation
4	--	Full Record with Tagged Fields
5	--	Full Record
6	Free	Title and Accession Numbers
7	Long	Bibliographic Citation and Abstract
8	Short	Title, Indexing, and Accession Numbers
9	Full	Full Record
K	--	KWIC (Key Word In Context) displays a window of text; may be used alone or with other formats

OTHER OUTPUT OPTIONS

For an explanation, enter HELP TYPE, HELP UDF, HELP TAG online.

USER DEFINED FORMATS	Output may be specified using the display codes indicated in the Search Options tables.	TYPE S3/TI,SH/1-5
TAG	TAG may be used for tagged fields.	TYPE S2/3/1-5 TAG
DIRECT RECORD ACCESS	DIALOG Accession Number	TYPE 00112908/5 DISPLAY 00112908/TI,SO PRINT 00112866/5

FOR ONLINE HELP:

See HELP FIELDS 11 for searchable fields; HELP FORMAT 11 for output formats; HELP LIMIT 11 for limits; HELP RATES 11 for cost information; HELP SORT 11 for sorts.