

Thomas Register Online®

FILE DESCRIPTION

Thomas Register Online®, Dialog file 535, corresponds to the *Thomas Register of American Manufacturers*, which has been for over 95 years a premier source of product information for U.S. and Canadian manufacturing companies. The database currently contains information for approximately 171,000 companies from volumes 1-24 of the *Thomas Register*.

SUBJECT COVERAGE

- The **Thomas Register Online** database covers approximately 174,000 companies, both public and private, classified under more than 72,000 product and service classes, and more than 152,000 brand names. Records include company name, address, telephone number, facsimile number, Standard Industrial Classification (SIC) codes, product category, asset rating, number of employees in ranges, officers and staff members, company type, trade status, and demographic "clustering" descriptors.
- The *Thomas Register of American Manufacturers* provides information on practically every product and service available in the U.S. and Canada, including those related to high technology, genetic engineering, and biotechnology, as well as the industrial sector. Software, computer hardware, and electronic products are a particular strength. Extensive product and services classification enables users to find critical components, locate suppliers, and track down brand names. Other Thomas publications are included to broaden coverage.

SOURCES

Information for THOMAS REGISTER ONLINE is gathered continuously from the companies by mail questionnaires, telephone interviews, and on-site visits by Thomas representatives.

TIPS

USE FILE 535

to find directory information for companies located in the U.S. or Canada

USE /CO OR CO=

to search for names of companies.

USE SC=

to find companies by SIC code.

USE /PROD

to find records that have product listings.

USE REPORT

to arrange output in easy-to-read tabular format.

DIALOG FILE DATA

Inclusive Dates: Current Year

Update Frequency: Quarterly

File Size: 139,496 records as of January 2006

US and Canadian companies are included.

CONTACT

The THOMAS REGISTER ONLINE file is produced by the Thomas Publishing Company, Inc. Questions concerning the database content should be directed to:

Thomas Online

Five Penn Plaza

New York, NY 10001

Phone: 212-290-7277

Fax: 212-290-7365

SAMPLE RECORD

DIALOG(R)File 535:Thomas Register Online(R)
 (c) 2003 Thomas Publishing Co. All rts. reserv.
 08999955

/CO, CO= Hurst Boiler & Welding Co., Inc.
 Dept. 33, P.O. Box 529, Hwy. 319 N.

CY=, ZP=, CN= Coolidge, GA 31738 0529 USA TE= _TELEPHONE: 877-99HURST (994-8778)
 FAX: 229-346-3874: Dept. 33 FAX
 OTHER: 804616 TELEX
 Or Call: 229-346-3545; http://www.hurstboiler.com;
 ttp://www.hurstboiler.thomasregister.com
 info@hurstboiler.com
 http://www.hurstboiler.com

GC= LOCATION: U.S.-SOUTHEAST
 COUNTY: THOMAS
 CMSA: 4472 LOS ANGELES-ANAHIEM-RIVERSIDE
 ADI: 013 LOS ANGELES (BARSTOW,CORONA & SAN BERNARDINO-ONTARIO)

FT= TRADE STATUS:
 EXPORTER
 MANUFACTURER

/DE DESCRIPTION OF BUSINESS:
 THOMAS REGISTER OF AMERICAN MANUFACTURERS
 Mfrs. & Supplier Of Wood, Gas, Coal, & Oil Fired Steam & Hot Water
 Boilers. Gas & Oil Fired Steam & Hot Water Packaged Units, 6 To 1800
 HP For All Heating & Process Applications. Industrial, Military, &
 Private & Public Commercial Operations. Gas, Oil & Solid Fuel Fired
 Boilers. Industry Standard Hurst Hybrid (TM) Boilers Are Fuel Flexible;
 Capable Of Burning Wood, Paper, Rubber, Hulls, Coal & Sludge. Primary
 Suppliers Of Wood Waste Fired Boilers To The Lumber Industry.
 Pressures To 300 PSI. System To Withstand Continuous Operation In
 Harsh Environments With Efficiency & Economy Of Operation. LOW NOx
 Modular Boilers & Burner Configurations Available For All Models,
 Starting At 9.5HP, Meets All State Environmental Requirements,
 Including SCAQMD. Through The Use Of Standard Parts, Components &
 Configurations Manufactured, Steam Plants Can Be Tailored To Customers
 Specific Requirements. Specialized Experience In Custom, Experimental
 & Difficult Applications. Designer & Mfr. Of Complete PLC Boiler
 Control System For New &/Or Retrofitting Existing Boilers. Mechanical
 Stokers, Heat Exchangers, Heat Recovery Systems. Replacement &
 After-Market Parts Availability. Design & Turnkey Capabilities

AS= ASSETS: 50M+ (\$50,000,000 - \$99,999,999)
EM= NUMBER OF EMPLOYEES: 100-249

NA=, /NA MANAGEMENT:
 Hurst, Gene Pres.
 Hurst, Tommy V.P.
 Fletcher, Larry Dir. Of Purch.
 Coffee, Bruce Chief Engineer
 Pierce, Ray Packaged Boilers Sls.
 Zebley, Gene Intl. Sls.
 Coffee, Charlie Wood-Fired Boilers, S.M.
 Hurst, Jeff Vertical Tubeless Sls. Mgr.

/PN, PN=, SC= PRODUCTS AND SIC CODES:
 (This list has been shortened to save space in this sample record.)
 AIR POLLUTION CONTROL EQUIPMENT 3564 Boiler Systems, Stokers, Heat
 Recovery Systems, Heat Exchangers, Fans, Conveyors & Pollution
 Control Equipment. Design & Repair Capabilities
 BALL VALVES 3089, 3491 Mfrs., Gas & Oil Fired Steam & Hot Water
 Packaged Units, 6 To 1800 HP For All Heating & Process
 Applications. Pressures To 300 PSI. Industrial, Dry Cleaning,
 Hospital, University, Military & Private & Public Commercial
 Operations. Parts & Repair Services
 BOILER ACCESSORIES 3443
 BOILER BLOWDOWN SYSTEMS 3443
 BOILER CONTROLS 3822, 3823
 (...)

Tn=, /TN TRADENAMES:
 Oxy-Miser (Deaerating Boiler Feedwater System)
 Feedmiser (Packaged Boiler Feedwater System)
 Electronic Fireman (PLC Boiler Control System)

SAMPLE RECORD (cont'd)

Cyclone (4 Pass Vertical Tubeless High Pressure Boiler)

/DE

ADDITIONAL INFORMATION:

EXPORTS TO: Africa, Asia, Australia, Eastern Europe, Latin America &
The Caribbean, Middle East, North America, Western Europe

YEAR ESTABLISHED: 1967

LITERATURE BY FAX: 400 Series (800-258-4283, Doc. #106600) 106600
400 Series 4

LITERATURE BY FAX: 300 Series (800-258-4283, Doc. #106601) 106601
300 Series 4

LITERATURE BY FAX: 200 Series (800-258-4283, Doc. #106602) 106602
200 Series 4

(This list shortened in the sample record.)

SO=

SOURCE: Thomas Register of American Manufacturers 2003
(31882111) (TR)

SEARCH OPTIONS

BASIC INDEX

SEARCH SUFFIX	DISPLAY CODE	REPORT (FIELD LENGTH)	FIELD NAME	INDEXING	SELECT EXAMPLES
—	—	—	All Basic Index Fields	Word	S INSTRUMENTATION
/CO	CO	CO (32)	Company Name ¹	Word	S SHAPE(W)MEMORY/CO
/DE	DE	—	Description of Business and Brand/Trade Names	Word	S WIRES(W)SPRINGS/DE
/NA	NA	—	Executive Name ¹	Word	S PATRICK(N)RYAN/NA
/PN	PN	—	Product Name	Word	S SHAPE(W)MEMORY/PN
/TN	TN	—	Trade Name ¹	Word	S PRESYS1000/TN

¹ Searchable in the Basic Index and in the Additional Indexes.

ADDITIONAL INDEXES

SEARCH PREFIX	DISPLAY CODE	REPORT (FIELD LENGTH)	FIELD NAME	INDEXING	SELECT EXAMPLES
—	A1	A1 (32)	Street Address	--	
—	AN	—	DIALOG Accession Number	--	
AS=	AS	—	Assets ²	Phrase	EXPAND AS=
CN=	CN	—	Country Name	Phrase	S CN=USA
CO=	CO	CO (32)	Company Name ¹	Phrase	S CO=PRESTON SCIENTIFIC?
CY=	CY	CY (32)	City	Phrase	S CY=ANAHEIM
EM=	EM	EM (12)	Number of Employees ^{4,5}	Numeric	E EM=
FT=	FT	—	Trade Status ²	Phrase	S FT=EXPORTER
—	FX	—	Fax Number	--	
GC=	GC	—	Geographic Classification ³	Phrase & Phrase	S GC="CMSA: 4472"?
GC=	GC	—	Geographic Classification ³	Phrase & Phrase	S GC="COUNTY: ORANGE"
GC=	GC	—	Geographic Classification ³	Phrase	EXPAND GC=MSA
NA=	NA	—	Executive Names ¹	Word & Phrase	S GC="LOCATION: U.S.-SOUTHWEST"?
PN=	PN	—	Product Name	Phrase	S GC="ADI: 013 "?
PO=	PO	—	Management Position	Phrase	S NA=(SPEAR(N)BERNARD?)
—	RC	—	Related Company	--	S NA=SPEAR, BERNARD?
SC=	SC	—	Standard Industrial Classification (SIC) Code ⁵	Phrase	S PN="MULTIPLEXERS: DIGITAL"
SO=	SO	—	Thomas Source Publication	Word	S PO=PRES?
ST=	ST	ST (7)	State/Province	Phrase	S SC=7372
TE=	TE	TE (32)	Telephone Area Code	Phrase	S SO=Thomas?
TN=	TN	—	Trade Name ^{1,6}	Phrase	S ST=CA
ZP=	ZP	ZP (12)	Zip or Postal Code	Phrase	S TE=714
				Phrase	S TN=PRESYS1000?
				Phrase	S ZP=92806

² Numbers in this field are represented by ranges. EXPAND in the index to choose the desired range, then Select the Expand set. Field may not be present in all records.

³ GC= is used for several Geographic Classification methods. To get a listing of ADI (Area of Dominant Influence): Use EXPAND GC=ADI. To get a listing of CMSA (Consolidated Metropolitan Statistical Areas): Use EXPAND GC=CMSA. To get a listing of MSA (Metropolitan Statistical Areas): Use EXPAND GC=MSA. To get a listing of Counties: Use EXPAND GC=COUNTY. To get a listing of Locations, such as U.S.-Southeast: Use EXPAND GC=LOCATION

⁴ EM Numbers are reported in ranges. EXPAND EM= to choose the desired range, then Select the Expand set. EM=10 denotes 10 or fewer employees, EM=19 denotes 11 to 19 employees, EM=49 denotes 20 to 49 employees, EM=99 denotes 50 to 99 employees, EM=249=100 to 249 employees, EM=499=250 to 499 employees, EM=999=500 to 999 employees, EM=1000 denotes 1,000 or more employees.

⁵ EM and SC are not available for RANK

⁶ Trade Names carry following indicators such as <R> or <TM> in SOME cases. When searching Trade Names, use truncation. Example: SELECT TN=TU-WAY? to retrieve TN=TU-WAY and TN=TU-WAY<R>

SPECIAL FEATURES

For command descriptions, enter HELP LIMIT, HELP SORT, HELP RANK online.

LIMIT	/CANADA -- Records for Canadian Companies /NOPROD -- Records without Product Listings /PROD -- Records with Product Listings /USA -- Records for U.S. Companies	S S5/CANADA S S5/NOPROD S S1/PROD S S7/USA
SORT	AS, CO, CY, EM, ST, TE, ZP	SORT S3/ALL/ZP PRINT S5/5/1-24/CO
RANK	All phrase- and numeric-indexed fields in the Additional Indexes can be ranked.	RANK CO S3 EM and SC are not available for rank

PREDEFINED FORMAT OPTIONS

NO.	DIALOGWEB FORMAT	RECORD CONTENT
1	--	DIALOG Accession Number
2	--	Company Name; Address; Telephone, Cable, Telex, and FAX Numbers; and Description of Business
3	Medium	Company Name; Address; Telephone, Cable, Telex, and FAX Numbers; and Description of Business
4	--	Company Name, Address, Telephone, and Top Executives
5	--	Full Record
6	--	Company Name
7	Long	Company Name; Address; Telephone, Cable, Telex, and FAX Numbers; Products and SIC Codes; and Trade Names
8	Short	Company Name, Address, Telephone, and Top Executives
9	Full	Full Record
10	--	National Address (excludes country)
20	--	International Address (includes country)

OTHER OUTPUT OPTIONS

For an explanation, enter HELP TYPE, HELP REPORT, HELP UDF, HELP TAG online.

REPORT	Output can be displayed in table format. REPORT codes with field lengths in parentheses are listed in the Search Options tables. Default table width is 72 characters; use SET H 132 to set maximum table width.	REPORT S3/CO,CY/1-10
USER DEFINED FORMATS	User-defined formats may be specified using the display codes indicated in the Search Options tables.	TYPE S3/CO,ZP/ALL
TAG	TAG may be used for tagged fields.	TYPE S2/3/1-5 TAG
DIRECT RECORD ACCESS	DIALOG Accession Number	TYPE 0866262/5 DISPLAY 0074483/CO,ST PRINT 0301964/5

FOR ONLINE HELP:

See HELP FIELDS 535 for searchable fields; HELP FORMAT 535 for output formats; HELP LIMIT 535 for limits; HELP RATES 535 for cost information; HELP SORT 535 for sorts.

