

## Thomas Register Online®

### FILE DESCRIPTION

**Thomas Register Online®**, Dialog file 535, corresponds to the *Thomas Register of American Manufacturers*, which has been for over 95 years a premier source of product information for U.S. and Canadian manufacturing companies. The database currently contains information for over 630,000 companies from the *Thomas Register*. To isolate records by country, use the Limit Suffixes /CANADA or /USA

### SUBJECT COVERAGE

- The **Thomas Register Online** database covers both public and private companies classified under more than 72,000 product and service classes, and more than 44,000 brand names. Records include company name, address, telephone number, facsimile number, Standard Industrial Classification (SIC) codes, product category, asset rating, number of employees in ranges, officers and staff members, company type, trade status, and demographic "clustering" descriptors.
- The *Thomas Register of American Manufacturers* provides information on practically every product and service available in the U.S. and Canada, including those related to high technology, genetic engineering, and biotechnology, as well as the industrial sector. Software, computer hardware, and electronic products are a particular strength. Extensive product and services classification enables users to find critical components, locate suppliers, and track down brand names.

### SOURCES

Information for THOMAS REGISTER ONLINE is gathered continuously from the companies by mail questionnaires, telephone interviews, and on-site visits by Thomas representatives.

### TIPS

#### USE FILE 535

to find directory information for companies located in the U.S. or Canada

#### USE /CO OR CO=

to search for names of companies.

#### USE SC=

to find companies by SIC code.

#### USE /PROD

to find records that have product listings.

#### USE REPORT

to arrange output in easy-to-read tabular format.

### DIALOG FILE DATA

Inclusive Dates: Current

Update Frequency: Quarterly

File Size: 632,623 records as of Q2 2009

### CONTACT

The THOMAS REGISTER ONLINE file is produced by the Thomas Publishing Company, Inc. Questions concerning the database content should be directed to:

Thomas Online

Five Penn Plaza

New York, NY 10001

Phone: 212-290-7277

Fax: 212-290-7365

SAMPLE RECORD

DIALOG(R)File 535:Thomas Register Online(R)
(c) 2009 Thomas Publishing Co. All rts. reserv.
2070918

/CO, CO= Hurst Boiler & Welding Co., Inc.
21971 U.S. Hwy. 319 N., P.O. Drawer 530
CY=, ZP=, CN= Coolidge, GA 317380530 USA
TE= TELEPHONE: 229-346-3545
FAX: 229-346-3874 FAX
OTHER: jhurst@hurstboiler.com
http://www.hurstboiler.com

GC= LOCATION: U.S.-SOUTHEAST
COUNTY: THOMAS
ADI: 413 TALLAHASSEE-THOMASVILLE (BAINBRIDGE)

FT= TRADE STATUS:
MANUFACTURER
SERV. IND.

/DE DESCRIPTION OF BUSINESS:
THOMAS REGISTER OF AMERICAN MANUFACTURERS
Mfrs. & Supplier Of Wood, Gas, Coal, & Oil Fired Steam & Hot Water
Boilers. Gas & Oil Fired Steam & Hot Water Packaged Units, 6 To 1800
HP For All Heating & Process Applications. Industrial, Military, &
Private & Public Commercial Operations. Gas, Oil & Solid Fuel Fired
Boilers. Industry Standard Hurst Hybrid (TM) Boilers Are Fuel Flexible;
Capable Of Burning Wood, Paper, Rubber, Hulls, Coal & Sludge. Primary
Suppliers Of Wood Waste Fired Boilers To The Lumber Industry.
Pressures To 300 PSI. System To Withstand Continuous Operation In
Harsh Environments With Efficiency & Economy Of Operation. LOW NOx
Modular Boilers & Burner Configurations Available For All Models,
Starting At 9.5HP, Meets All State Environmental Requirements,
Including SCAQMD. Through The Use Of Standard Parts, Components &
Configurations Manufactured, Steam Plants Can Be Tailored To Customers
Specific Requirements. Specialized Experience In Custom, Experimental
& Difficult Applications. Designer & Mfr. Of Complete PLC Boiler
Control System For New &/Or Retrofitting Existing Boilers. Mechanical
Stokers, Heat Exchangers, Heat Recovery Systems. Replacement &
After-Market Parts Availability. Design & Turnkey Capabilities

EM= NUMBER OF EMPLOYEES: 499

NA=, /NA MANAGEMENT:
Hurst, Gene Pres.
Hurst, Tommy V.P.
Fletcher, Larry Dir. Of Purch.
Coffee, Bruce Chief Engineer
Pierce, Ray Packaged Boilers Sls.
Zebley, Gene Intl. Sls.
Coffee, Charlie Wood-Fired Boilers, S.M.
Hurst, Jeff Vertical Tubeless Sls. Mgr.

/PN, PN=, SC= PRODUCTS AND SIC CODES:
(This list has been shortened to save space in this sample record.)
AIR POLLUTION CONTROL EQUIPMENT 3564 Boiler Systems, Stokers, Heat
Recovery Systems, Heat Exchangers, Fans, Conveyors & Pollution
Control Equipment. Design & Repair Capabilities
BALL VALVES 3089, 3491 Mfrs., Gas & Oil Fired Steam & Hot Water
Packaged Units, 6 To 1800 HP For All Heating & Process
Applications. Pressures To 300 PSI. Industrial, Dry Cleaning,
Hospital, University, Military & Private & Public Commercial
Operations. Parts & Repair Services
BOILER ACCESSORIES 3443
BOILER BLOWDOWN SYSTEMS 3443
BOILER CONTROLS 3822, 3823
(...)

Tn=, /TN TRADENAMES:
Oxy-Miser (Deaerating Boiler Feedwater System)
Feedmiser (Packaged Boiler Feedwater System)
Electronic Fireman (PLC Boiler Control System)
Cyclone (4 Pass Vertical Tubeless High Pressure Boiler)

SO= SOURCE: Thomas Register of American Manufacturers 2009
( 00938650 ) (TR)

SEARCH OPTIONS

BASIC INDEX

SEARCH SUFFIX	DISPLAY CODE	REPORT (FIELD LENGTH)	FIELD NAME	INDEXING	SELECT EXAMPLES
—	—	—	All Basic Index Fields	Word	S INSTRUMENTATION
/CO	CO	CO (32)	Company Name <sup>1</sup>	Word	S SHAPE(W)MEMORY/CO
/DE	DE	—	Description of Business and Brand/Trade Names	Word	S WIRES(W)SPRINGS/DE
/NA	NA	—	Executive Name <sup>1</sup>	Word	S PATRICK(N)RYAN/NA
/PN	PN	—	Product Name	Word	S SHAPE(W)MEMORY/PN
/TN	TN	—	Trade Name <sup>1</sup>	Word	S PRESYS1000/TN

<sup>1</sup> Searchable in the Basic Index and in the Additional Indexes.

ADDITIONAL INDEXES

SEARCH PREFIX	DISPLAY CODE	REPORT (FIELD LENGTH)	FIELD NAME	INDEXING	SELECT EXAMPLES
—	A1	A1 (32)	Street Address	--	
—	AN	—	DIALOG Accession Number	--	
AS=	AS	—	Assets <sup>2</sup>	Phrase	EXPAND AS=
CN=	CN	—	Country Name	Phrase	S CN=USA
CO=	CO	CO (32)	Company Name <sup>1</sup>	Phrase	S CO=PRESTON SCIENTIFIC?
CY=	CY	CY (32)	City	Phrase	S CY=ANAHEIM
EM=	EM	EM (12)	Number of Employees <sup>4,5</sup>	Numeric	E EM=
FT=	FT	—	Trade Status <sup>2</sup>	Phrase	S FT=EXPORTER
—	FX	—	Fax Number	--	
GC=	GC	—	Geographic Classification <sup>3</sup>	Phrase & Phrase	S GC="CMSA: 7442 CAGUAS, PR" S GC="COUNTY: ORANGE"
GC=	GC	—	Geographic Classification <sup>3</sup>	Phrase & Phrase	EXPAND GC=MSA S GC="LOCATION: U.S.-SOUTHWEST"?
GC=	GC	—	Geographic Classification <sup>3</sup>	Phrase	S GC="ADI: 013 "?
NA=	NA	—	Executive Names <sup>1</sup>	Word & Phrase	S NA=(SPEAR(N)BERNARD?) S NA=SPEAR, BERNARD?
PN=	PN	—	Product Name	Phrase	S PN="MULTIPLEXERS: DIGITAL"
PO=	PO	—	Management Position	Phrase	S PO=PRES?
—	RC	—	Related Company	--	
SC=	SC	—	Standard Industrial Classification (SIC) Code <sup>5</sup>	Phrase	S SC=7372
SO=	SO	—	Thomas Source Publication	Word	S SO=Thomas?
ST=	ST	ST (7)	State/Province	Phrase	S ST=CA
TE=	TE	TE (32)	Telephone Area Code	Phrase	S TE=714
TN=	TN	—	Trade Name <sup>1,6</sup>	Phrase	S TN=PRESYS1000?
ZP=	ZP	ZP (12)	Zip or Postal Code	Phrase	S ZP=92806

<sup>2</sup> Numbers in this field are represented by ranges. EXPAND in the index to choose the desired range, then Select the Expand set. Field may not be present in all records.

<sup>3</sup> GC= is used for several Geographic Classification methods. To get a listing of ADI (Area of Dominant Influence): Use EXPAND GC=ADI. To get a listing of CMSA (Consolidated Metropolitan Statistical Areas): Use EXPAND GC=CMSA. To get a listing of MSA (Metropolitan Statistical Areas): Use EXPAND GC=MSA. To get a listing of Counties: Use EXPAND GC=COUNTY. To get a listing of Locations, such as U.S.-Southeast: Use EXPAND GC=LOCATION

<sup>4</sup> EM Numbers are reported in ranges. EXPAND EM= to choose the desired range, then Select the Expand set. EM=10 denotes 10 or fewer employees, EM=19 denotes 11 to 19 employees, EM=49 denotes 20 to 49 employees, EM=99 denotes 50 to 99 employees, EM=249=100 to 249 employees, EM=499=250 to 499 employees, EM=999=500 to 999 employees, EM=1000 denotes 1,000 or more employees.

<sup>5</sup> EM and SC are not available for RANK

<sup>6</sup> Trade Names carry following indicators such as <R> or <TM> in SOME cases. When searching Trade Names, use truncation. Example: SELECT TN=TU-WAY? to retrieve TN=TU-WAY and TN=TU-WAY<R>

**SPECIAL FEATURES**

For command descriptions, enter HELP LIMIT, HELP SORT, HELP RANK online.

<b>LIMIT</b>	/CANADA -- Records for Canadian Companies /NOPROD -- Records without Product Listings /PROD -- Records with Product Listings /USA -- Records for U.S. Companies	S S5/CANADA S S5/NOPROD S S1/PROD S S7/USA
<b>SORT</b>	AS, CO, CY, EM, ST, TE, ZP	SORT S3/ALL/ZP PRINT S5/5/1-24/CO
<b>RANK</b>	All phrase- and numeric-indexed fields in the Additional Indexes can be ranked.	RANK CO S3 EM and SC are not available for rank

**PREDEFINED FORMAT OPTIONS**

NO.	DIALOGWEB FORMAT	RECORD CONTENT
1	--	DIALOG Accession Number
2	--	Company Name; Address; Telephone, Cable, Telex, and FAX Numbers; and Description of Business
3	Medium	Company Name; Address; Telephone, Cable, Telex, and FAX Numbers; and Description of Business
4	--	Company Name, Address, Telephone, and Top Executives
5	--	Full Record
6	--	Company Name
7	Long	Company Name; Address; Telephone, Cable, Telex, and FAX Numbers; Products and SIC Codes; and Trade Names
8	Short	Company Name, Address, Telephone, and Top Executives
9	Full	Full Record
10	--	National Address (excludes country)
20	--	International Address (includes country)

**OTHER OUTPUT OPTIONS**

For an explanation, enter HELP TYPE, HELP REPORT, HELP UDF, HELP TAG online.

<b>REPORT</b>	Output can be displayed in table format. REPORT codes with field lengths in parentheses are listed in the Search Options tables. Default table width is 72 characters; use SET H 132 to set maximum table width.	REPORT S3/CO,CY/1-10
<b>USER DEFINED FORMATS</b>	User-defined formats may be specified using the display codes indicated in the Search Options tables.	TYPE S3/CO,ZP/ALL
<b>TAG</b>	TAG may be used for tagged fields.	TYPE S2/3/1-5 TAG
<b>DIRECT RECORD ACCESS</b>	DIALOG Accession Number	TYPE 0866262/5 DISPLAY 0074483/CO,ST PRINT 0301964/5

**FOR ONLINE HELP:**

See HELP FIELDS 535 for searchable fields; HELP FORMAT 535 for output formats; HELP LIMIT 535 for limits; HELP RATES 535 for cost information; HELP SORT 535 for sorts.