

Thomas Register Online®

FILE DESCRIPTION

Thomas Register Online®, Dialog file 535, corresponds to the *Thomas Register of American Manufacturers*, which has been for over 95 years a premier source of product information for U.S. and Canadian manufacturing companies. The database currently contains information for over 640,000 companies from the *Thomas Register*. To isolate records by country, use the Limit Suffixes /CANADA or /USA

SUBJECT COVERAGE

- The **Thomas Register Online** database covers both public and private companies classified under more than 72,000 product and service classes, and more than 44,000 brand names. Records include company name, address, telephone number, facsimile number, Standard Industrial Classification (SIC) codes, product category, asset rating, number of employees in ranges, officers and staff members, company type, trade status, and demographic "clustering" descriptors.
- The *Thomas Register of American Manufacturers* provides information on practically every product and service available in the U.S. and Canada, including those related to high technology, genetic engineering, and biotechnology, as well as the industrial sector. Software, computer hardware, and electronic products are a particular strength. Extensive product and services classification enables users to find critical components, locate suppliers, and track down brand names.

SOURCES

Information for THOMAS REGISTER ONLINE is gathered continuously from the companies by mail questionnaires, telephone interviews, and on-site visits by Thomas representatives.

TIPS

USE FILE 535

to find directory information for companies located in the U.S. or Canada

USE /CO OR CO=

to search for names of companies.

USE SC=

to find companies by SIC code.

USE /PROD

to find records that have product listings.

USE REPORT

to arrange output in easy-to-read tabular format.

DIALOG FILE DATA

Inclusive Dates: Current

Update Frequency: Quarterly reload

File Size: 645,746 records as of Q2 2010

CONTACT

The THOMAS REGISTER ONLINE file is produced by the Thomas Publishing Company, Inc. Questions concerning the database content should be directed to:

Thomas Online

Five Penn Plaza

New York, NY 10001

Phone: 212-290-7277

Fax: 212-290-7365

SAMPLE RECORD

DIALOG(R)File 535:Thomas Register Online(R)
(c) 2009 Thomas Publishing Co. All rts. reserv.

266253

/CO, CO=

Kadant Johnson Inc.
805 Wood St.

CY=,ST=,ZP=,CN=

Three Rivers, MI 490931053 USA

TE=

TELEPHONE: 269-278-1715
FAX: 269-279-5980 FAX
OTHER: 800-657-5940
danielle.rohrer@kadant.com
http://www.kadant.com

GC=

COUNTY: SAINT JOSEPH
LOCATION: U.S.-GREAT LAKES
ADI: 059 GRAND RAPIDS-KALAMAZOO-BATTLE CREEK (MUSKEGON)

FT=

TRADE STATUS:
MANUFACTURER

DESCRIPTION OF BUSINESS:

/DE

Thomas Register of American Manufacturers
WORLDWIDE MFR. OF FLUID HANDLING PRODUCTS INCLUDING ROTARY JOINTS &
UNIONS, SYPHONS, SYPHON ELBOWS, THERMOCOMPRESSORS, DESUPERHEATERS,
STEAM SYSTEMS, CONTROLS, VACUUM BREAKERS, STEAM & AIR SEPARATORS.
PRESSURE POWERED & CONDENSATE PUMPS, VALVES, SIGHT FLOW INDICATORS &
FLEXIBLE METAL HOSE ARE AVAILABLE. CONTROL SOFTWARE FOR DRYER SYSTEMS
ARE AVAILABLE. PRODUCTS ARE USED IN RUBBER, TIRE, PLASTICS, TEXTILE &
CHEMICAL INDUSTRIES.

AS=

ASSETS: 250M+ (over \$250,000,000)

EM=

NUMBER OF EMPLOYEES: 1000

MANAGEMENT:

/NA,NA=,PO=

Martz , Wesley Advertising
Wedel , G L General Management
Snyder , D R Production Mgmt.
Howe , C R Sales
Moon , D M Financial
Bowen , J A General Management

PRODUCTS AND SIC CODES:

PARTS OF THE PRODUCT AND SIC CODES LISTING HAVE BEEN REMOVED IN THE SAMPLE RECORD
TO SAVE SPACE.

/PN,PN=,SC=

BARS 3312, 3351, 3355, 3356, 3423, 3431, 3446, 3449, 3545, 3714, 3799
Mfr. of axial hollow bars made from stainless steel for inducing
turbulence in condensate layer. Axial bars are available with
compression bolts & bar height engineered to operate at optimum
condensate depth.
BREAKERS: VACUUM 3432 Mfr. of vacuum breakers made from stainless
steel. Specifications of vacuum breakers include 3/8 in. to 1 1/2
in. size, 1/4 in. to 1 1/4 in. outlet size, 1 1/2 in. to
(...)
SOFTWARE: UTILITIES 7372 Mfr. of utility software including control
software for use with dryer sections in manufacturing
applications. Control software are available with dryer control,
remote interface, energy management & valve condition monitoring
modules.
(...)
FLUID HANDLING EQUIPMENT 3559 Mfr. of fluid handling equipment used
in rubber, tire, plastics, textile & chemical industries. Fluid
handling equipment include axial bars, rotary joints & unions,
syphons, syphon elbows, thermocompressors, desuperheaters, steam
systems, controls, vacuum breakers, steam & air separators,
pressure powered pumps, condensate pumps, valves, sight flow
indicators & flexible metal hose.
(...)
PUMPS: CONDENSATE OR CONDENSATE RETURN 3561 Mfr. of condensate
return systems including float operated & float free condensate or
condensate return pumps. Specifications of pumps include 6 in. to
41 in. fill head, 10 psig to 100 psig total static back pressure,
150 psig standard pressure, 21 in. to 51 in. fill height, 1 in. to
3 in. inlet check valve & 1.5 gpm to 26.4 gpm capacity. Corrosion

SAMPLE RECORD (cont'd)

/TN,TN=	resistant pumps feature ductile iron tank, single check valve connection & multiple inlet connections. PUMPS: POSITIVE DISPLACEMENT 3561 Mfr. of pressure powered positive displacement pumps. Pumps are available with 30 gpm & 186 gpm single-tank capacity & are used in wet, remote & explosive areas.
/DE	TRADENAMES: DMS (Software: Manufacturing, Software: Utilities) Turbulator (Bars, Fluid Handling Equipment)
	ADDITIONAL INFORMATION: EXPORTS TO: Western Europe, Africa, Asia, Australia, Europe, Canada, Mexico YEAR ESTABLISHED: 1930 SOURCE: Thomas Register of American Manufacturers 2009 (00182749) (TR)

SEARCH OPTIONS

BASIC INDEX

SEARCH SUFFIX	DISPLAY CODE	REPORT (FIELD LENGTH)	FIELD NAME	INDEXING	SELECT EXAMPLES
— /CO /DE	— CO DE	— CO (32) —	All Basic Index Fields Company Name ¹ Description of Business and Brand/Trade Names	Word Word Word	S FLUID(W)HANDLING S (KADANT(W)JOHNSON)/CO S (CONTROL(W)SOFTWARE)/DE S (EXPORTS AND ASIA)/DE S 1930/DE
/NA /PN /TN	NA PN TN	— — —	Executive Name ¹ Product Name Trade Name ¹	Word Word Word	S (MOON(N)(D(W)M))/NA S (PUMPS AND VALVES)/PN S TURBULATOR/TN

¹ Searchable in the Basic Index and in the Additional Indexes.

ADDITIONAL INDEXES

SEARCH PREFIX	DISPLAY CODE	REPORT (FIELD LENGTH)	FIELD NAME	INDEXING	SELECT EXAMPLES
—	A1	A1 (32)	Street Address	--	
—	AN	—	DIALOG Accession Number	--	
AS=	AS	—	Assets ²	Phrase	S AS=>250M
CN=	CN	—	Country Name	Phrase	S CN=USA
CO=	CO	CO (32)	Company Name ¹	Phrase	S CO=KADANT JOHNSON?
CY=	CY	CY (32)	City	Phrase	S CY=THREE RIVERS
EM=	EM	EM (12)	Number of Employees ^{4,5}	Numeric	S EM=>1000
FT=	FT	—	Trade Status ²	Phrase	S FT=CUSTOM M?
—	FX	—	Fax Number	--	
GC=	GC	—	Geographic Classification ³	Phrase & Phrase	S GC="LOCATION: U.S.-GREAT LAKES" EXPAND GC=MSA
GC=	GC	—	Geographic Classification ³	Phrase & Phrase	EXPAND GC=ADI: S GC="COUNTY: SAINT JOSEPH"
NA=	NA	—	Executive Names	Word & Phrase	S NA=(MARTZ(N)WESLEY) S NA=MARTZ, WESLEY
PN=	PN	—	Product Name	Phrase	S PN=PUMPS? S PN=FLUID HANDLING EQUIPMENT S PN="INDICATORS: SIGHT FLOW" S PO=FINANCIAL
PO=	PO	—	Management Position	Phrase	
—	RC	—	Related Company	--	
SC=	SC	—	Standard Industrial Classification (SIC) Code ⁵	Phrase	S SC=3432
SO=	SO	—	Thomas Source Publication	Word	S SO=Thomas?
ST=	ST	ST (7)	State/Province	Phrase	S ST=MI
TE=	TE	TE (32)	Telephone Area Code	Phrase	S TE=714
TN=	TN	—	Trade Name ^{1,6}	Phrase	S TN=TURBULATOR
ZP=	ZP	ZP (12)	Zip or Postal Code	Phrase	S ZP=49093? S ZP=490931053

² Numbers in this field are represented by ranges. EXPAND in the index to choose the desired range, then Select the Expand set. Field may not be present in all records.

³ GC= is used for several Geographic Classification methods. To get a listing of ADI (Area of Dominant Influence): Use EXPAND GC=ADI. To get a listing of CMSA (Consolidated Metropolitan Statistical Areas): Use EXPAND GC=CMSA. To get a listing of MSA (Metropolitan Statistical Areas): Use EXPAND GC=MSA. To get a listing of Counties: Use EXPAND GC=COUNTY. To get a listing of Locations, such as U.S.-Southeast: Use EXPAND GC=LOCATION

⁴ EM Numbers are reported in ranges. EXPAND EM= to choose the desired range, then Select the Expand set. EM=10 denotes 10 or fewer employees, EM=19 denotes 11 to 19 employees, EM=49 denotes 20 to 49 employees, EM=99 denotes 50 to 99 employees, EM=249=100 to 249 employees, EM=499=250 to 499 employees, EM=999=500 to 999 employees, EM=1000 denotes 1,000 or more employees.

⁵ EM and SC are not available for RANK

⁶ Trade Names carry following indicators such as <R> or <TM> in SOME cases. When searching Trade Names, use truncation. Example: SELECT TN=TU-WAY? to retrieve TN=TU-WAY and TN=TU-WAY<R>

SPECIAL FEATURES

For command descriptions, enter HELP LIMIT, HELP SORT, HELP RANK online.

LIMIT	/CANADA -- Records for Canadian Companies /NOPROD -- Records without Product Listings /PROD -- Records with Product Listings /USA -- Records for U.S. Companies	S S5/CANADA S S5/NOPROD S S1/PROD S S7/USA
SORT	AS, CO, CY, EM, ST, TE, ZP	SORT S3/ALL/ZP PRINT S5/5/1-24/CO
RANK	All phrase- and numeric-indexed fields in the Additional Indexes can be ranked.	RANK CO S3 EM and SC are not available for rank

PREDEFINED FORMAT OPTIONS

NO.	DIALOGWEB FORMAT	RECORD CONTENT
1	--	DIALOG Accession Number
2	--	Company Name; Address; Telephone, Cable, Telex, and FAX Numbers; and Description of Business
3	Medium	Company Name; Address; Telephone, Cable, Telex, and FAX Numbers; and Description of Business
4	--	Company Name, Address, Telephone, and Top Executives
5	--	Full Record
6	--	Company Name
7	Long	Company Name; Address; Telephone, Cable, Telex, and FAX Numbers; Products and SIC Codes; and Trade Names
8	Short	Company Name, Address, Telephone, and Top Executives
9	Full	Full Record
10	--	National Address (excludes country)
20	--	International Address (includes country)

OTHER OUTPUT OPTIONS

For an explanation, enter HELP TYPE, HELP REPORT, HELP UDF, HELP TAG online.

REPORT	Output can be displayed in table format. REPORT codes with field lengths in parentheses are listed in the Search Options tables. Default table width is 72 characters; use SET H 132 to set maximum table width.	REPORT S3/CO,CY/1-10
USER DEFINED FORMATS	User-defined formats may be specified using the display codes indicated in the Search Options tables.	TYPE S3/CO,ZP/ALL
TAG	TAG may be used for tagged fields.	TYPE S2/3/1-5 TAG
DIRECT RECORD ACCESS	DIALOG Accession Number	TYPE 0866262/5 DISPLAY 0074483/CO,ST PRINT 0301964/5

FOR ONLINE HELP:

See HELP FIELDS 535 for searchable fields; HELP FORMAT 535 for output formats; HELP LIMIT 535 for limits; HELP RATES 535 for cost information; HELP SORT 535 for sorts.